## CLAIMS

- 1. (cancelled)
- 2. (cancelled)
- 3. (cancelled)
- 4. (previously presented) The method of claim 35, wherein said messages comprise instant messages.
- 5. (currently amended) The method of claim 35, wherein said step of temporarily associating one of the routing codes with the user sender comprises the steps of:

composing a message for the <u>user sender</u> at said mobile device, said message including at least said <u>user's sender's</u> personal identifier in body of said message;

sending said message to a routing code assigned to an `unlisted` function on said mobile device;

receiving said message at an instant messaging system;

capturing said <u>user's sender's</u> personal identifier by said instant messaging system;

assigning a routing code to said <u>user's sender's personal identifier by said instant messaging system;</u>

sending said message to said user <u>sender</u>; and <u>optionally</u> returning notice of said assignment to said mobile unit, so that future <u>messaging is facilitated</u>.

 (currently amended) The method of claim 35, further comprising steps of: sending a message to said mobile device by said user sender; receiving said message at said instant messaging system; capturing said <u>user's sender's</u> personal identifier by an instant messaging system;

assigning a routing code to said user's <u>sender's</u> personal identifier; and sending said message to said mobile device.

7. (currently amended) The method of claim 35, wherein said step of transmitting the reply message to the user sender comprises steps of:

receiving a message at said mobile device from said user sender, wherein said user's sender's personal identifier has previously been associated with a routing code; and

replying to said received message by means of a 'reply' function on said mobile unit.

- 8. (cancelled)
- 9. (currently amended) The method of claim 35, wherein routing codes for assignment are recycled during a user session on said mobile unit if the number of users senders exceeds the routing codes available.
- 10. (currently amended) The method of claim 35, further comprising the step of:

preventing occurrence of a condition wherein different users senders are associated with the same routing code.

11. (currently amended) The method of claim 10, wherein said step of preventing comprises any of the steps of:

delaying delivery of a message from said user sender pending confirmation of a mobile user's interest in receiving desire to receive said message; and

providing sufficient routing codes that recycling of codes is unlikely to be necessary.

- 12. (cancelled)
- 13. (cancelled)
- 14. (cancelled)
- 15. (previously presented) The computer program product of claim 37, wherein said messages comprise instant messages.
- 16. (currently amended) The computer program product of claim 37, wherein said step of exchanging messages comprises steps of:

composing a message for said user sender at said mobile device, said message including at least said user's sender's personal identifier in body of said message;

sending said message to a routing code assigned to an `unlisted` function on said mobile device;

receiving said message at an instant messaging system;

capturing said <u>user's sender's</u> personal identifier by said instant messaging system;

assigning a routing code to said user's sender's personal identifier;

sending said message to said user sender; and

optionally returning notice of said assignment to said mobile unit, so that future messaging is facilitated.

17. (currently amended) The computer program product of claim 37, said method further comprising steps of:

sending a message to said mobile device by said user sender;

receiving said message at said instant messaging system;

capturing said <u>user's sender's</u> personal identifier by an instant messaging system;

assigning a routing code to said <u>user's sender's</u> personal identifier; and sending said message to said mobile unit.

18. (currently amended) The computer program product of claim 37, wherein said step of transmitting the reply message to the user sender comprises steps of:

receiving a message at said mobile unit from said user sender, wherein said user's sender's personal identifier has previously been associated with a routing code; and

replying to said received message by means of a 'reply' function on said mobile unit.

- 19. (cancelled)
- 20. (currently amended) The computer program product of claim 37, wherein routing codes for assignment are recycled during a user session <u>on said mobile</u> <u>unit</u> if the number of <u>users</u> senders exceeds the routing codes available.
- 21. (currently amended) The computer program product of claim 37, said method further comprising the step of:

preventing occurrence of a condition wherein different users senders are associated with the same routing code.

22. (currently amended) The computer program product of claim 21, wherein said step of preventing comprises any of the steps of:

delaying delivery of a message from said <u>user sender</u> pending confirmation of a mobile user's <u>interest in receiving</u> <u>desire to receive</u> said message; and

providing sufficient routing codes that recycling of codes is unlikely to be necessary.

- 23. (cancelled)
- 24. (cancelled)
- 25. (cancelled)
- 26. (previously presented) The apparatus of claim 39, wherein said messages comprise instant messages.
- 27. (currently amended) The apparatus of claim 39, wherein said means for temporarily associating the routing codes with the <u>user sender</u> comprises means for:

composing a message for said user sender at said mobile device, said message including said user's sender's personal identifier in body of said message;

sending said message to a routing code assigned to an `unlisted` function on said mobile device;

receiving said message at an instant messaging system;

capturing said user's <u>sender's</u> personal identifier by said instant messaging system;

assigning a routing code to said user's sender's personal identifier;

sending said message to said user sender; and

optionally returning notice of said assignment to said mobile unit, so that future messaging is facilitated.

28. (currently amended) The apparatus of claim 39, wherein said means for exchanging messages comprises means for:

sending a message to said mobile device by said user sender;

receiving said message at said instant messaging system;

capturing said <u>user's sender's</u> personal identifier by said instant messaging system;

assigning a routing code to said <del>user's</del> <u>sender's</u> personal identifier; and sending said message to said mobile unit.

29. (currently amended) The apparatus of claim 39, wherein said means for transmitting the reply message to the user sender comprises means for:

receiving a message at said mobile unit from said user sender, wherein said user's sender's personal identifier has previously been associated with a routing code; and

replying to said received message user by means of a `reply` function on said mobile unit.

- 30. (cancelled)
- 31. (currently amended) The apparatus of claim 39, wherein routing codes for assignment are recycled during a user session on said mobile unit if the number of users exceeds the routing codes available.
- 32. (currently amended) The apparatus of claim 39, further comprising means for:

preventing occurrence of a condition wherein different users senders are associated with the same routing code.

33. (currently amended) The apparatus of claim 39, wherein said means for preventing comprises means for any of:

delaying delivery of a message from a <u>user sender</u> pending confirmation of a mobile user's <u>interest in receiving desire to receive</u> said message; and

providing sufficient routing codes for assignment to said users senders that recycling of codes is unlikely to be necessary.

34. (currently amended) A method of facilitating messaging between a mobile device and a <u>user sender</u>, the method comprising steps of:

providing a plurality of reserved routing codes for exchanging messages between users senders and mobile devices;

in response to receiving a message from the <u>user sender</u> directed to the mobile device, temporarily associating one of the routing codes with the <del>user sender for the duration of the user session on said mobile device;</del>

including the temporarily associated routing code in the message as a reply address; and

transmitting the <u>reply</u> message with the included temporarily associated routing code[[s]] to the mobile device.

35. (currently amended) The method of claim 34, further comprising:

receiving a reply message from the mobile device directed to the temporarily associated routing code; and

transmitting the reply message to the user sender.

36. (currently amended) A computer program product, said computer program product comprising a tangible medium with computer-readable code embodied thereon said computer-readable code including code means for performing the steps of a method of facilitating messaging between a mobile device and a user sender the method comprising the steps of:

providing a plurality of reserved routing codes for exchanging messages between users senders and mobile devices;

in response to receiving a message from the <u>user sender</u> directed to the mobile device, temporarily associating one of the routing codes with the <u>user sender</u>, for the duration of the user session on said mobile device;

including the temporarily associated routing code in the message as a reply address; and

transmitting the message with the included temporarily associated routing codes to the mobile device.

37. (currently amended) The computer program product of claim 36, the method further comprising:

receiving a reply message from the mobile device directed to the temporarily associated routing code; and

transmitting the reply message to the user sender.

38. (currently amended) An apparatus for facilitating messaging between a mobile device and a <u>user sender</u> comprising:

a plurality of reserved routing codes for exchanging messages between users senders and mobile devices;

in response to receiving a message from the user sender directed to the mobile device, temporarily associating one of the routing codes with the user sender for the duration of the user session on said mobile device;

means for including the temporarily associated routing code in the message as a reply address; and

transmitting the message with the included temporarily associated routing codes to the mobile device.

39. (currently amended) The apparatus of claim 38, further comprising:

means for receiving a reply message from the mobile device directed to the temporarily associated routing code; and

means for transmitting the reply message to the user sender.